



# THE EPWORTH SLEEPINESS SCALE

How likely are you to doze off or fall asleep in the following situations?

√ Check one in each row:	0 No chance of dozing	1 Slight chance of dozing	2 Moderate chance of dozing	3 High chance of dozing
Sitting and reading	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Watching TV	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting inactive in a public place (e.g. a theater or a meeting)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
As a passenger in a car for an hour without a break	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lying down to rest in the afternoon when circumstances permit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting and talking to someone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sitting quietly after a lunch without alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In a car, while stopped for a few minutes in traffic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Total Score:

                      
(Add columns 0-3)

Patient Signature \_\_\_\_\_

Date \_\_\_\_\_

# Berlin Questionnaire Sleep Evaluation

1. Complete the following:

height \_\_\_\_\_ age \_\_\_\_\_  
weight \_\_\_\_\_ male/female \_\_\_\_\_

2. Do you snore?

- yes  
 no  
 don't know

**If you snore:**

3. Your snoring is?

- slightly louder than breathing  
 as loud as talking  
 louder than talking  
 very loud. Can be heard in adjacent rooms

4. How often do you snore?

- nearly every day  
 3-4 times a week  
 1-2 times a week  
 1-2 times a month  
 never or nearly never

5. Has your snoring ever bothered other people?

- yes  
 no

6. Has anyone noticed that you quit breathing during your sleep?

- nearly every day  
 3-4 times a week  
 1-2 times a week  
 1-2 times a month  
 never or nearly never

7. How often do you feel tired or fatigued after your sleep?

- nearly every day  
 3-4 times a week  
 1-2 times a week  
 1-2 times a month  
 never or nearly never

8. During your waketime, do you feel tired, fatigued or not up to par?

- nearly every day  
 3-4 times a week  
 1-2 times a week  
 1-2 times a month  
 never or nearly never

9. Have you ever nodded off or fallen asleep while driving a vehicle?

- yes  
 no

If yes, how often does it occur?

- nearly every day  
 3-4 times a week  
 1-2 times a week  
 1-2 times a month  
 never or nearly never

10. Do you have high blood pressure?

- yes  
 no  
 don't know

(For office use)

Scoring Questions: Any answer within the box outline is a positive response

Scoring categories:

Category 1 is positive with 2 or more positive responses to questions 2-6

Category 2 is positive with 2 or more positive responses to questions 7-9

Category 3 is positive with 1 positive response and/or a BMI > 30

(BMI = Body Mass Index)

Final Result: 2 or more possible categories indicates a high likelihood of sleep disordered breathing.

Patient Signature \_\_\_\_\_

Date \_\_\_\_\_

Berlin

# Sleep Center Evaluation

Have you ever had an evaluation at a Sleep Center?  Yes  No

If Yes:

Sleep Center Name \_\_\_\_\_  
and Location \_\_\_\_\_

Sleep Study Date \_\_\_\_\_

## FOR OFFICE USE ONLY

The evaluation confirmed a diagnosis of:  *mild*  
 *moderate* obstructive sleep apnea  
 *severe*

The evaluation showed an RDI of \_\_\_\_\_ and an AHI of \_\_\_\_\_

## CPAP Intolerance (Continuous Positive Airway Pressure device)

If you have attempted treatment with a CPAP device, but could not tolerate it please fill in this section:

I could not tolerate the CPAP device due to:

- mask leaks
- I was unable to get the mask to fit properly
- discomfort caused by the straps and headgear
- disturbed or interrupted sleep caused by the presence of the device
- noise from the device disturbing my sleep and/or bed partner's sleep
- CPAP restricted movements during sleep
- CPAP does not seem to be effective
- pressure on the upper lip causing tooth related problems
- a latex allergy
- claustrophobic associations
- an unconscious need to remove the CPAP apparatus at night

Other: \_\_\_\_\_

## Other Therapy Attempts

What other therapies have you had for breathing disorders?  
(weight-loss attempts, smoking cessation for at least one month, surgeries, etc.)

---

---

---

Patient Signature \_\_\_\_\_

Date \_\_\_\_\_

## List any medications which have caused an allergic reaction:

- Y  N Antibiotics  
 Y  N Aspirin  
 Y  N Barbiturates  
 Y  N Codeine  
 Y  N Iodine  
 Y  N Latex  
 Y  N Local anesthetics

- Y  N Metals  
 Y  N Penicillin  
 Y  N Plastic  
 Y  N Sedatives  
 Y  N Sleeping pills  
 Y  N Sulfa drugs

Other allergens:

---



---



---



---

## List any medications you are currently taking:

- Y  N Antacids  
 Y  N Antibiotics  
 Y  N Anticoagulants  
 Y  N Antidepressants  
 Y  N Anti-inflammatory drugs  
     (non-steroid)  
 Y  N Barbiturates  
 Y  N Blood thinners

- Y  N Codeine  
 Y  N Cortisone  
 Y  N Diet pills  
 Y  N Heart medication  
 Y  N High blood pressure medication  
 Y  N Insulin  
 Y  N Muscle relaxants  
 Y  N Nerve pills

- Y  N Pain medication  
 Y  N Sleeping pills  
 Y  N Sulfa drugs  
 Y  N Tranquilizers

Other current medications:

---



---



---

## Medical History

- Y  N Anemia  
 Y  N Arteriosclerosis  
 Y  N Asthma  
 Y  N Autoimmune disorders  
 Y  N Bleeding easily  
 Y  N Chronic sinus problems  
 Y  N Chronic fatigue  
 Y  N Congestive heart failure  
 Y  N Current pregnancy  
 Y  N Diabetes  
 Y  N Difficulty concentrating  
 Y  N Dizziness  
 Y  N Emphysema  
 Y  N Epilepsy  
 Y  N Fibromyalgia  
 Y  N Frequent sore throats  
 Y  N Gastroesophageal Reflux  
     Disease (GERD)  
 Y  N Hay fever  
 Y  N Heart disorder  
 Y  N Heart murmur  
 Y  N Heart pounding or beating  
     irregularly during the night

- Y  N Heart pacemaker  
 Y  N Heart valve replacement  
 Y  N Heartburn or a sour taste  
     in the mouth at night  
 Y  N Hepatitis  
 Y  N High blood pressure  
 Y  N Immune system disorder  
 Y  N Injury to  
      Face  Neck  
      Head  Mouth  Teeth  
 Y  N Insomnia  
 Y  N Irregular heart beat  
 Y  N Jaw joint surgery  
 Y  N Low blood pressure  
 Y  N Memory loss  
 Y  N Migraines  
 Y  N Morning dry mouth  
 Y  N Muscle spasms or  
     cramps  
 Y  N Needing extra pillows to  
     help breathing at night  
 Y  N Nighttime sweating

- Y  N Osteoarthritis  
 Y  N Osteoporosis  
 Y  N Poor circulation  
 Y  N Prior orthodontic treatment  
 Y  N Recent excessive weight  
     gain  
 Y  N Rheumatic fever  
 Y  N Shortness of breath  
 Y  N Swollen, stiff or painful  
     joints  
 Y  N Thyroid problems  
 Y  N Tonsillectomy (have had)  
 Y  N Wisdom teeth extraction

Other medical history:

---



---



---



---

Patient Signature \_\_\_\_\_

Date \_\_\_\_\_

